



Dedicated to a better Brisbane

Brisbane City Council ABN 72 002 765 795

Families and Community Services /
Compliance and Regulatory Services
Plumbing Services Group
Ground Floor Green Square,
505 St Pauls Tce, Fortitude Valley
PO Box 4400, Fortitude Valley Qld 4006
T 07 3403 8888 F 07 3334 0234
www.brisbane.qld.gov.au

INFORMATION NOTICE

To all Plumbing Services Group Customers who currently submit Hydraulic Services Plans to Brisbane City Council for Assessment

Installation of an in floor self closing dry bucket arrestor trap in a Bin Wash Area

Commencing from 1 of October 2008 Brisbane City Council's Plumbing Services Group will no longer require a Grease Interceptor Trap (GIT) to be installed in a bin wash area.

Some examples of approved products;



Vinidex
In Floor DBA -
Drainguard



Ecoguardians
In Floor DrainProtector
F660 & F1600



Ecoguardians
In Floor DrainProtector

- (i) A GIT is no longer required to be installed in a bin wash area provided that an **approved in floor self closing dry bucket arrestor trap** is installed to the drain outlet of the bin wash area.
- (ii) Bin wash areas shall fall towards the graded drain outlet that has an **approved in floor self closing dry bucket arrestor trap** installed.
- (iii) All changes to the approved hydraulic services plans shall be reflected on the As Constructed drawings. Please ensure one hard copy and one electronic copy of the As Constructed Drawings are submitted to Plumbing Services Group at the time of the final plumbing inspection.

Should you require any further details into the introduction of this new requirement please call Brisbane City Services Group on [3403 8888](tel:34038888).