



**THE FOOD
WASTE EXPERTS**



A900 ROCKET COMPOSTER

**OUR MOST POPULAR HIGH CAPACITY, ON SITE, FOOD WASTE COMPOSTER
USED AT LARGE LUXURY HOTELS, UNIVERSITIES & REMOTE APPLICATIONS.
UNBEATABLE THROUGHPUT WHEN USED IN CONJUNCTION WITH THE
DEHYDRA FOOD WASTE DEWATERING SYSTEM**

The A900 Rocket composter, our most popular food waste composter is capable of continuously processing up to 1750 litres of food waste each week. Thermostatic controls automate the process, ensuring minimum operator interaction with only a standard single-phase 240-volt power supply needed.

Available as a stand alone or containerised organic waste solution, the A900 comes equipped with 4 channel temperature datalogger and air extraction system as standard. The robust construction ensuring longevity, the Rocket range of food waste treatment systems are suitable for the on-site processing of:

- Cooked / Uncooked Meat & Fish
- Cooked / Uncooked Fruit & Vegetables
- Garden Waste / Green Waste
- Animal Waste (including some types of bedding)

“ We’ve been working with Tidy Planet since 2010 and they have provided us with their A900 Rocket which is both environmentally friendly and has also paid for itself within two years. We’re now looking to implement the same food waste recycling solution at our other hotels so they can experience the same benefits ”

*Trevor Barnard,
Group Purchasing Manager
Exclusive Hotels*



A900 ROCKET COMPOSTER

Currently in operation at a wide range of sites throughout the UK and abroad, the A900 Rocket is saving on expensive organic waste disposal costs for many sites & organisations including:

- Exclusive Hotels
- ACS Cobham International Schools
- Pepsico—Walkers Crisps Skelmersdale
- British Petroleum East Caucus Pipeline Expansion

TECHNICAL SPECIFICATIONS

Size:	Length	4.0m
	Width	1.0m
	Height	1.9m
Weight		600kg (empty)
Capacity:		Up to 1750 litres of food waste per week / or 5250 litres per week when supplied in conjunction with the Dehydra food waste dewaterer
Motor:		0.75kw
Heater Element:		2 x 0.8kw (thermostatically controlled)
Power Requirement:		1ph 240v 16amp x 2 sockets
Power Consumption:		30kwh+ per week
Temperature Recording:		4 K-Type Thermocouple (Data-logger included)
Air extraction:		Included
Housing Requirements:		Min 6.0m x 3.0m x 2.8 (LxWxH) covered hard standing with non porous surface
Optional Extras:		Power screen for refining end product Vented woodchip storage bins Loading steps



A900 ROCKET COMPOSTER DIMENSIONS FOR ILLUSTRATION ONLY

